LAND MANAGEMENT DIVISION



TYPE II LAND USE APPLICATION Temporary Hardship Dwelling Impacted Forest Lands Zone (F-2)

PUBLIC WORKS DEPARTMENT 3050 N. DELTA HWY, EUGENE OR 97408 Planning: 541-682-3577

For Office Use Only: FILE #	FEE:
Applicant (print name):	
Mailing address:	
Phone:	Email:
Applicant Signature:	
Agent (print name):	
Phone:	Email:
Agent Signature:	
Land Owner (print name):	
	Email:
Land Owner Signature:	
LOCATION	
Assessor's Map and Taxlot Number	
Site address	

PROPOSAL: A Request for Type II decision of a Temporary Medical Hardship Dwelling, pursuant to Lane Code 16.211(2)-2.6.

Lane Code 14.020 (3)(b) Electronic Materials.

- (i) When application or appeal materials submitted in hard copy format are <u>over five pages in length</u>, an applicant or appellant <u>must provide an identical electronic version of the submitted materials in addition to a hard copy</u>. Any other party submitting written materials into the record that are over five pages is also encouraged to submit an identical electronic copy. Any electronic materials must be in a format acceptable to the Director. This provision should not be interpreted to prohibit electronic submittals of materials less than five pages in length. The County will scan submitted materials upon request for fee. The County cannot be held responsible for electronic submittals that are not received by the Director or not confirmed by the Director to have been received.
- (ii) When electronic materials over five pages in length are submitted by any party for inclusion in an application record, an identical hard copy of the materials must also be submitted unless this requirement is waived by the Director.

Lane Code 14.040 Application Requirements

- (1) Minimum Submittal Requirements. Applications for a Type I through Type IV procedure must be submitted on a form provided by the Director, address all applicable standards and criteria, and include the following materials and information:
 - (a) Applications must include at least one hard copy of all application materials, no larger than 11 inch x 17 inch in size;
 - (b) All applicable information requested on the application form;
 - (c) Required filing fee, except that the required filing fee may not be required when Lane County initiates an application;
 - (d) Signature of each applicant;
 - (e) Signature of a property owner or property owner's authorized representative;
 - (f) Proof of property ownership by providing a certified or recorded copy of a deed, or land sale contract, or Lane County Tax Assessor's records;
 - (g) Assessor's map and tax lot number of the subject property;
 - (h) A site plan drawn to a standard engineer's scale, and conforming to the County's site plan submittal standards;

A site plan must be included. Refer to the handout entitled "How to prepare your plot plan." Identify nearby driveways. Driveways spacing standards are contained in Lane Code 15.138.

- (i) Information demonstrating compliance with any applicable prior decisions and conditions of approval for the subject property;
- (j) A written narrative clearly indicating what action is requested and addressing all applicable standards and criteria;
- (k) Supporting information required to evaluate the application and address the applicable standards and criteria;
- (I) A written statement indicating whether a railroad-highway crossing provides or will provide the only access to land that is the subject of an application; and

Does a railr	oad-highway c	rossing provi	de the only	access to	the subject	property?
.,						

res	INO	

- (m) Additional information needed to evaluate applicable standards and criteria.
- (2) Fees Required. In addition to any other applicable approval criteria, an approvable Type II or III application must be accompanied by the appropriate filing fee unless the Director authorizes a waiver or reduction to filing fees pursuant to Lane Manual Chapter 60.850.
- (3) Determination of Application Requirements. The Director may waive any of the requirements of subsection (1) above if deemed to be inapplicable to the application.
- (4) Applicant's Burden. <u>It is the applicant's responsibility to provide evidence demonstrating that the</u> application complies with all applicable standards and criteria.

	ACREAGE:	
ESS TO THE PROPERTY	(circle the answer):	
County Rd	Public Rd	Private Easement
:		
NG DWELLINGS ON PA	ARCEL:	
aphy of the property:		
ant Features of the pr	operty (steep slopes, wat	ter bodies, etc.):
	EMENTS: What structurells, septic tanks, draines. SE: Describe the site. Taphy of the property:	:

APPROVAL CRITERIA

Lane Code 16.211(2) contains the Impacted Forest Lands Zone Table of Permitted Uses. Use 2.6, a temporary hardship dwelling, is subject to (3)(e), (3)(q), (4), (5), and (6).

- (3) Use Standards
 - (e) A temporary hardship dwelling is subject to the following:

residential use of an existing building may be allowed in conjunction with an existing dwelling as a temporary use for the term of the hardship suffered by the existing resident or relative, subject to the following: What type of temporary dwelling are you proposing? (Staff highly suggests consulting with Lane County Building staff on permitting requirements prior to choosing any of these options) (Pick one) Manufactured dwelling; Recreational vehicle; or Conversion of an existing building into a dwelling. If choosing this option, what building are you proposing to temporarily convert to a dwelling? Is there a building permit associated with it? Explain how the proposed hardship dwelling is in reasonably close proximity to the existing dwelling: Have you attached the "Physician's Certification" that shows the person has a medical hardship? Yes No If no, why? Relation of person with Medical Hardship to existing resident: ____ is a Resident Child Grandparent Niece ____ Parent ____ Step grandparent ____ Nephew ____ Stepparent ____ Sibling Grandchild Stepsibling Name of Caregiver: The hardship dwelling must use the same subsurface sewage disposal system (aa) used by the existing dwelling, if that disposal system is adequate to accommodate the additional dwelling. If a public sanitary sewer system is available, the hardship dwelling may connect to the public system and not use a subsurface sewage disposal system; Will the hardship dwelling use the same subsurface sewage disposal system as the main dwelling? ____ Yes ____ No If no, why? _______ Will the hardship dwelling be connected to a public sanitary sewer system? Yes No Except as provided in (3)(b)(i)(cc) below, approval of a temporary hardship (bb) dwelling permit is valid until December 31 of the year following the year of original permit approval and may be renewed once every two years until the hardship situation ceases or unless in the opinion of the Lane County Sanitarian the on-site sewage disposal system no longer meets DEQ requirement; Within 90 days of the end of the hardship situation, the MH or RV must be (cc)

removed from the property or demolished. In the case of an existing building,

One manufactured dwelling (MH), or recreational vehicle (RV), or the temporary

(i)

- the building must be removed, demolished, or returned to an allowable nonresidential use; and
- (dd) The temporary hardship dwelling will comply with Oregon Department of Environmental Quality review and removal requirements;
- (ii) As used in this section "hardship" means a medical hardship or hardship for the care of an aged or infirm person or persons; and
- (iii) A temporary hardship dwelling approved under (3)(b) above cannot be eligible for replacement under (3)(a) above.
- (q) For single-family dwellings, the landowner must sign and record in the deed records for the County a document binding the landowner, and the landowner's successors in interest, prohibiting them from pursuing a claim for relief or cause of action alleging injury from farming or forest practices for which no action or claim is allowed under ORS 30.936 or 30.937.

If approved, it will be made a condition of approval that this required deed must be recorded prior to submitting a building permit.

(4) Conditional Use Review Criteria

A Conditional Use listed in Table 16.211-1 of this zone that references this section may be allowed provided the following requirements are satisfied. These requirements are designed to make the use compatible with forest operations and agriculture and to conserve values found on forest lands.

(a) The proposed use will not force a significant change in, or significantly increase the cost of, accepted farming or forest practices on agriculture or forest lands.

why your tem	o answer this questions, you must identify the farm and forest uses surrounding the property. Explain thy your temporary hardship dwelling will not negatively impact the existing farm or forest uses. If there will be an impact, how will you minimize the impact?					
(b)	The proposed use will not significantly increase fire hazard or significantly increase fire suppression costs or significantly increase risks to fire suppression personnel.					
Will the temp	orary hardship dwelling create a fire danger? Have you contacted the fire department?					

(c) A written statement recorded with the deed or written contract with the county or its equivalent is obtained from the land owner that recognizes the rights of adjacent and nearby land owners to conduct forest operations consistent with the Forest Practices Act and Rules for Use 2.6, Use 3.6, Use 3.10, Use 6.6, and Use 7.8.

If approved, this will be made a condition of approval.

SITING CRITERIA

(5) Siting Standards for Uses, Activities, and Structures

The following siting criteria apply to all new uses, activities, and structures allowed by LC 16.211. These criteria are designed to make such uses compatible with forest operations, to minimize wildfire hazards and risks and

to conserve values found on forest lands. The Director must consider the criteria in this section together with the requirements of Section (6) to identify the building site.

- (a) Residences, dwellings, and structures must be sited as follows:
 - (i) Near dwellings on other tracts, near existing roads, on the most level part of the tract, on the least suitable portion of the tract for forest use and at least 30 feet from any ravine, ridge or slope greater than 40 percent (40%);

Explain the reason for the proposed location. You must address the following issues:

	(ii)	Where possible, when considering LC 16.211(5)(a)(i) and (ii) and the dimensions and topography of the tract, at least 500 feet from the adjoining lines of property zoned F-1 and 100 feet from the adjoining lines of property zoned F-2 or EFU; and
Will the		ng encroach into a forested area? Or will it be located in an existing developed or open
	(ii)	With minimal intrusion into forest areas undeveloped by nonforest uses;
•	Is ther	re a ravine, ridge or slope greater than 40% within 30 feet of the new dwelling?
•		is the area that is least suitable for forest use based on the soil productivity, forest gement and forest harvesting practices?
•	What	is the most level part of the property?
•	Will a	new driveway be constructed or will an existing driveway be extended?
•	Is the	dwelling near existing roads?
•	Is the	new dwelling close to other dwellings on adjacent property? Explain.

Is the dwelling within 500 feet of adjoining property zoned F-1?

No

Yes

If yes, e	explain:							
			f adjoining prope	•				No
	(iii)	must be minimi	zed.					rs, and structures
•			dwelling and driv	•				
(b) (i) (ii) (iii	20 spe 30	feet from the recified in LC Chap feet from all pro	-	state roa	d, County	road, or	a local a	access public road (i).
Does th	he prope	erty front County	Right-of-way?	Yes		No		
			the proposed dw			 Right-of-v	vay?	Feet
How fa	r is the p	proposed dwellin	g from the north	ern prope	rty line?		Fe	et
How fa	r is the p	proposed dwellin	g from the easter	n propert	y line?		Fe	et
How fa	r is the p	proposed dwellin	g from the south	ern prope	rty line?		Fe	et
How fa	r is the p	proposed dwellin	g from the weste	rn proper	ty line?		Fe	et
(iv)	100 Ru fee ap	D feet from and praise to from the ord order to the order order to the order order or the order	parallel to the or ve Plan. No struc inary high wate	rdinary hi cture other or of a C ce with LO	gh water of or than a fer lass I streat C 16.253(3).	f a Class nce may am unles Vegetat	I stream be locate s a ripa ion main	ween a line that is designated in the ed closer than 100 rian modification tenance, removal, LC 16.253.
Is there	e a desig	nated Class 1 stre	eam on the prope	erty?	Yes	No	_	
If yes, I	how far	will the dwelling I	oe from the Class	1 stream	?		Feet	
(c)	must b	e provided that	the domestic w	ater supp	oly is from	a source	authoriz	ant land, evidence zed in accordance oriation of ground

water or surface water and not from a Class II stream as defined in the Forest Practices Rule, OAR Chapter 629. If the water supply is unavailable from public sources or sources located entirely on the property, then the applicant must provide evidence that a legal easement has been obtained permitting domestic water lines to cross the properties of affected owners. For purposes of LC 16.211(5)(c) above, evidence of domestic water supply means:

- (i) Verification from a water purveyor that the use described in the application will be served by the purveyor under the purveyor's rights to appropriate water;
- (ii) A water use permit issued by the Water Resources Department for the use described in the application; or
- (iii) Verification from the Water Resources Department that a water use permit is not required for the use described in the application. If the proposed water supply is from a well and is exempt from permitting requirements under ORS 537.545, the applicant must submit the well constructor's report to the Director upon completion of the well.

Private Well	Community System	Public system
Describe:		
For a community or public	system, do you have written verification the pro	ovider can serve your dwelling?
Yes No	If yes, include a copy with this application.	
Do you have a water use p	ermit (well log) for an existing well, issued by the	e Water Resources Department?
Yes No searching for groundwater	If yes, <u>include a copy</u> with this applicated data at the following website: https://www.ore	•

- (d) As a condition of approval, if road access to the dwelling is by a road owned and maintained by a private party or by the Oregon Department of Forestry, the U.S. Bureau of Land Management, or the U.S. Forest Service, then the applicant must provide proof of a long-term road access use permit or agreement. The road use permit may require the applicant to agree to accept responsibility for road maintenance.
- (e) Approval of a dwelling is subject to the following requirements:
 - (i) Approval of a dwelling requires the owner of the tract to plant a sufficient number of trees on the tract to demonstrate that the tract is reasonably expected to meet Department of Forestry stocking requirements at the time specified in department of Forestry administrative rules.
 - (ii) The Director must notify the County Assessor of the above condition at the time the dwelling is approved.
 - (iii) Stocking survey report:

What is your water source (check the answer):

- (aa) If the lot or parcel is more than ten acres, the property owner must submit a stocking survey report to the County Assessor and the Assessor will verify that the minimum stocking requirements have been met by the time required by Department of Forestry rules; and
- (bb) Upon notification by the Assessor, the Department of Forestry will determine whether the tract meets minimum stocking requirements of the Forest Practices Act. If the

Department of Forestry determines that the tract does not meet those requirements, that department will notify the owner and the Assessor that the land is not being managed as forest land. The Assessor will then remove the forest land designation pursuant to ORS 321.359 and impose the additional tax.

If this proposal is approved, (d) and (e) above will be made conditions of approval.

(6) Fire-Siting Standards for Dwellings and Structures

The following fire-siting standards or their equivalent apply to new residences, dwellings, manufactured dwellings, or structures allowed in Lane Code 16.211:

(a) The dwelling must be located upon a parcel within a fire protection district or must be provided with residential fire protection by contract. If the dwelling is not within a fire protection district, the applicant must provide evidence that the applicant has asked to be included within the nearest such district. If the Director determines that inclusion within a fire protection district or contracting for residential fire protection is impracticable, the dwelling must comply with the following fire safety plan requirements:

Is the property within a fire district?	Yes	No	If yes, go to (b) below.
If the property is not within a fire distric	t, you have t	wo options (c	hoose one):
$\underline{\hspace{1cm}}$ (A) Submit evidence of a long annexation into the fire dist		s contract wit	th the nearest fire district and request
	ied as a Cond		standards in (i) - (v) below. The Fire oval, but it is recommended that you

- (i) The means selected may include a fire sprinkling system, onsite equipment and water storage or other methods that are reasonable, given the site conditions;
- (ii) If a water supply is required for fire protection, it must be a swimming pool, pond, lake, or similar body of water that at all times contains at least 4,000 gallons or a stream that has a continuous year round flow of at least one cubic foot per second;
- (iii) The applicant must provide verification from the Water Resources Department that any permits or registrations required for water diversion or storage have been obtained or that permits or registrations are not required for the use;
- (iv) Road access must be provided to within 15 feet of the water's edge for firefighting pumping units. The road access must accommodate the turnaround of firefighting equipment during the fire season. Permanent signs must be posted along the access route to indicate the location of the emergency water source; and
- (v) A 100-foot wide primary safety zone and a 100-foot wide secondary safety zone surrounding the perimeter of the dwelling or manufactured dwelling structures must be provided and maintained in perpetuity in compliance with the standards in (6)(c).
- (b) Fire Safety Design Standards for Roads and Driveways.
 - (i) Private driveways, roads or bridges accessing only commercial forest uses are not subject to compliance with these fire safety design standards for roads and driveways. The route of access for firefighting equipment, from the fire station to the destination point, across public roads, bridges, private roads or private access easements and driveways must comply with the standards specified below. Evidence of compliance with the standards specified in (6)(b) should include objective information about the firefighting equipment, the physical nature of the access route, the nature of any proposed improvements to the access route, and it may also include a written verification of compliance from the agency

providing fire protection, or a written certification of compliance from an Oregon Registered Professional Engineer. As used herein, "road" means a way of access used for more than one use and accessory uses dwelling or manufactured dwelling. As used herein, "driveway" means a way of access used for only one dwelling or manufactured dwelling.

			tion <u>objective information</u> demonstrating evid (i), including:	dence or fea	sibility of compliance with				
	Itemize	ed list of	firefighting equipment. Obtain from fire distri	ct (if applicab	le).				
	Description and evidence of physical nature of access or driveway route. Topography maps, photos or other evidence may be included in the application.								
			proposed improvements to access or driveway application.	route. Design	n drawings may be				
In addit	ion to t	he abov	e items, the application may also include:						
	prelimi Howev	nary wr er, pleas	written verification of compliance from the age itten certification of compliance from an Orego se note that such certification will also be made driveway construction.	on Registered	Professional Engineer.				
The sta	ndards	below w	rill be a condition of approval and will be verific	ed by staff.					
	(ii)	includi sufficie least s unobst surface Drivew gravel	and Driveway Surfaces. Roads must have using: travel surfaces with widths of at least 16 ent to provide access for fire fighting vehicles ix-inches or with paving having a crushed bastructed area two feet in width at right angle, curve radii of at least 50 feet, and a vertical vays must have: constructed widths of at least or with paving having a crushed base equivorertical clearance of 13 feet 6 inches.	feet constructs and contain se equivalent gles with eac al clearance c east 12 feet v	cted with gravel to a depth ing gravel to a depth of at to six inches of gravel, an th side of the constructed of at least 13 feet 6 inches. with at least six inches of				
Will the	e existin	g drivew	vay be extended to serve the new dwelling?	Yes	No				
Will the	ere be a	new dri	veway in a new location?	Yes	No				
	(iii)	County turnar	ounds. Any dead-end road over 200 feet in the must meet these standards for turnal ounds spaced at intervals of not more than 50 design and construction standards:	rounds. Dea	d-end roads must have				
		(aa)	Hammerhead Turnarounds. Hammerhead t drive into and back out of to reverse their d	· ·	-				

road as near as possible at a 90 degree angle and extend from the road at that angle for a distance of at least 20 feet. They must be constructed to the standards for driveways in LC 16.211(6)(b)(i) above and must be marked and signed by the applicant as "NO PARKING." Such signs must be of metal or wood construction

with minimum dimensions of 12 inches by 12 inches; or

- (bb) Cul-de-sac Turnarounds. Cul-de-sac turnarounds must have a right-of-way width with a radius of at least 45 feet and an improved surface with a width of at least 36 feet and must be marked and signed by the applicant as "NO PARKING." Such signs must be of metal or wood construction with minimum dimensions of 12 inches by 12 inches; and
- (cc) No cul-de-sacs or hammerhead turnarounds must be allowed to cross any slope which will allow chimney-effect draws unless the dangerous effects of the chimney-effect draws have been mitigated by the location of the road and, where necessary, by the creation of permanent fire breaks around the road.

Are you proposing a dead-end road?		Yes	No				
Is it over 200 fe	eet long?	Yes	No				
If yes, it must o	contain turnouts. Explain:						
(iv)	(iv) Bridges and Culverts. Bridges and culverts must be constructed to sustain a minimum grovehicle weight of 50,000 lbs. and to maintain a minimum 16-foot road width surface or minimum 12-foot driveway surface. The Planning Director may allow a single-span bridge utilizing a converted railroad flatcar as an alternative to the road and driveway surface width requirements, subject to verification from an engineer licensed in the State Oregon that the structure will comply with the minimum gross weight standard of 50,00 lbs.						
Will the new d	riveway or extension of the drivew	vay contain any cu	ulverts or bridges	? Yes No			
If yes, explain:							
(v)	Road and Driveway Grades. Ro for short distances when topog instances, grades up to 20 percapplicant must submit informative State of Oregon demonstrate percent are adequate for the firm to access the use, firefighting equals to access the use of the use	graphic condition cent may be allow tion from a Fire rating that road efighting equipm	ns make lesser growed for spans no Protection Distriction and driveway gont of the agence	rades impractical. In such of to exceed 100 feet. An ct or engineer licensed in grades in excess of eight			
Will the road o	r driveway contain any slopes in e	xcess of 8%?	Yes No)			
If yes, explain:							
(vi)	Identification. Roads must be no	amed and addres	ssed in complian	ee with LC 15.305 through			

Please be advised that staff will evaluate the route of the road serving your dwelling, from the homesite back to the public road to which it connects. Staff will determine if the road is to be named, per LC 15.312 and LM 15.015(3). Staff will review the address numbering of the street, if determined the address number may be required to change. If determined, such will be required as a condition of this approval.

Driveway Vehicle Passage Turnouts. Driveways in excess of 200 feet must provide for a 20-(vii) foot long and eight-foot wide passage space (turn out) with six inches in depth of gravel and at a maximum spacing of 400 feet. Shorter or longer intervals between turnouts may be authorized by the Planning Director where the Director inspects the road and determines that topography, vegetation, corners or turns obstruct visibility.

The dr	iveway r	nust be 12 feet v	wide. How wid	e is the drive	eway?			
Is it ov	er 200 f	eet long?	Yes N	lo				
If yes,	it must o	contain turnouts	. Turnouts are	not required	l if the drivev	vay is 16 feet w	ide.	
	Will th	e driveway have	turnouts?	Yes	No			
	Will th	e driveway be 16	6 feet wide?	Yes	No			
	(viii)	modified by evidence dem	the approval onstrating tha	authority p	provided the ative standa	applicant ha	6)(b)(vii) above may k s submitted objectiv e adequate access fo stination.	⁄e
•		sing any modifica nal pages of nece		natives to the	e road or driv	eway standards	s? If yes, explain.	


- (c) Fuel-Free Breaks. The owners of dwellings and structures must maintain a primary safety zone surrounding all structures and clear and maintain a secondary safety zone on land surrounding the dwelling that is owned or controlled by the owner in compliance with these requirements.
 - (i) Primary Safety Zone. The primary safety zone is a fire break extending a minimum of 30 feet in all directions around dwellings, manufactured dwellings and structures, unless otherwise specifically stated in LC 16.211. The goal within the primary safety zone is to exclude fuels that will produce flame lengths in excess of one foot. Vegetation within the primary safety zone could include green lawns and low shrubs (less than 24 inches in height). Trees must be spaced with greater than 15 feet between the crown and pruned to remove dead and low (less than eight feet) branches. Accumulated leaves, needles, and other dead vegetation must be removed from beneath trees. Nonflammable materials (i.e., rock) instead of flammable materials (i.e., bark mulch) must be placed next to the house.
 - (aa) As slope increases, the primary safety zone must increase away from the house, parallel to the slope and down the slope, as shown in the table and figure below:

The new dwelling must be surrounded by a 30 foot primary safety zone. If the dwelling is on a slope, the safety zone will increase, as shown in the table.

Table 16.211-2 Minimum Primary Safety Zone

Slope	Feet of Primary Safety Zone	Feet of Additional Primary Safety Zone Down Slope
0%	30	0
10%	30	50
20%	30	75
25%	30	100
40%	30	150

Figure 16.211-1



(ii) Secondary Safety Zone. The secondary safety zone is a fuel break extending a minimum of 100 feet in all directions around the primary safety zone. The goal of the secondary safety zone is to reduce fuels so that the overall intensity of any wildfire would be lessened and the likelihood of crown fires and crowning is reduced. Vegetation within the secondary safety zone must be pruned and spaced so that fire will not spread between crowns of trees. Small trees and brush growing underneath larger trees must be removed to prevent spread of fire up into the crowns of the larger trees. Dead fuels must be removed.

The secondary fuel break must be established an additional 100 feet from the primary safety zone, but only on property you own.

- * Show the fuel breaks on the site plan. If approved, the primary safety zone and the secondary fuel break will be verified as a condition of approval. Contact staff (541-682-3577) or visit the Planning website (www.lanecounty.org/planning) for details regarding fire break standards.
- * The establishment and maintenance of fuel breaks within the Riparian Setback Area must comply with the applicable requirements of Lane Code 16.253.

- (d) The dwelling must have a fire retardant roof.
- (e) Dwellings or manufactured dwellings must be sited at least 30 feet away from a ravine, ridge, or any slope greater than 40 percent slope.
- (f) If the dwelling has a chimney or chimneys, each chimney must have a spark arrester.

What is the slope of the land within 30 feet of the dwelling?
If the proposal is approved, (d) and (f) above will be made conditions of approval and will be verified by staff.

LAND MANAGEMENT DIVISION



PHYSICIAN'S CERTIFICATE

PUBLIC WORKS DEPARTMENT 3050 N. DELTA HWY, EUGENE OR 97408 Planning: 541-682-3577

This form must be completed and signed by your physician, therapist or professional counselor and submitted with your application for a Temporary Medical Hardship Dwelling.

<u>TEMPORARY USE OF A MANUFACTURED HOME, RV, or CONVERSION OF AN EXISTING STRUCTURE INTO A DWELLING DURING A MEDICAL HARDSHIP.</u> The use of a manufactured home, Recreational Vehicle (RV), or the conversion of an existing structure to a dwelling on a temporary basis during a medical hardship may be allowed. A permit may be granted for a period of not more than two years and may be renewed for successive periods of two years, (2 years) if evidence is provided that the hardship condition continues to exist.

In considering this request, it must be found that the hardship condition relates to the aged, the infirm, or to persons otherwise incapable of maintaining a complete, separate and detached residence, and also whether the requested use will be relatively temporary in nature. It is not the intent of this provision to subvert the intent of the zoning laws by permitting more than one permanent residence on each property. In granting the request for temporary use of a hardship dwelling, conditions may be imposed that will preclude the possibility of such a temporary use becoming permanent.

Below is the form that shows the physician, therapist or professional counselor is convinced the person with the hardship must be provided the care so frequently or in such a manner that the caretaker must reside on the same premises.

TO BE COMPLETED BY PHYSICIAN, THERAPIST OR P	PROFESSIONAL COUNSELOR		
This is to certify that the person listed bel	ow is my patient:		
(Please print or type name of patient)			
It is my opinion that this person has a medical or physical hardship that requires care and attention in the fashion described above, and the named patient should be permitted to reside near a caretaker in order to facilitate proper care.			
Physician Signature:	Date		
Physician Name:(Please Print or Type)	ID/License #		
Address:	Phone # ()		